Airclence FC-AM08B

SAFETY DATA SHEET

		Γ	DATE PREPARED : 05,01,2018
1. Identificati	on of substance / Prepa	ration and of the company / undert	aking
Name of the product	Airclence	FC-AM08B	
Supplier	: NIHON CHE	EMTREX CO.,LTD	
	13-39-1,SAKAS	HITA ITABASHI-KU TOKYO JAPAN	
	TEL: +81-3-343	0-1139	
Emergency telephon	e : +81-3-3430-112	39	
2. Hazards ide	entification		
GHS Classification			
	Physical Hazards	: Classification not possible	
	Health Hazards	: Skin corrosion / irritation	Category3
		Serious eye damage / Eye irritation	Category2B
	Environmental Hazards	: Classification not possible	
Emergency Overview	v		
Symbol	: No symbol		
Hazard	: WARNING		
	Causes mild sk	in irritation	
	Causes eye irrit	ation	
Precautionary st	atements		
Preventio	n : Wear protective	e gloves / protective clothing / eye protection / face	protection.
	Avoid breathing	g dust/fume/gas/mist/vapours/spray.	
	Use only outdo	ors or in a well-ventilated area.	
	Contaminated v	work clothing should not be allowed out of the wor	kplace.
	Wash hands the	proughly after handling.	
Response	: See section 4.		
Storage	: Store in a well-	ventilated place. Keep container tightly closed.	
	Store looked up		
3. Compositio	n / Information on ing	redients	
Description	: Mixture		

Chemical nature

: The product made from Amine compound • Oxoacid mixture and other ingredients.

Ingredient Name	CAS No.	Content
Amine compound • Oxoacid mixture	Proprietary	
Hydroxy acid	Proprietary	15~17%
Amino acid	Proprietary	

Trisodium citrate dihydrate	6132-04-3	
Polyethylene glycol (PEG)	25322-68-3	
Nonionic surfactant	Proprietary	≦0.3%
Purified water	7732-18-5	82-84%

4. First-aid me	asures
Swallowed	: If symptoms persist consult doctor.
Eye	: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists: Get medical advice / attention.
Skin	: Flush skin with soap and water.
Inhaled	: Take the person into the fresh air; if there is difficulty in breathing, medical advice is required.
5. Fire-fighting	, measures
Extinguishing media	: form, water, water mist, foam, dry powder, CO ₂
Fire fighting	: Wear Breathing apparatus plus protective gloves for fire only.
	Prevent, by any means available, spillage from entering drains or water course.
	If safe to do so, remove containers from path of fire.
Fire/Explosion haza	rd : No data applicable.
6. Accidental r	elease measures
See sections 8 and 13.	
After spillage/Soil	: Prevent additional discharge of spilled material. Do not allow the product to enter sewers or rivers or contaminate
	the soil.
	Recover with mechanical means such as pumps and skimmers.
After spillage/water	: Contain spilled liquid with sand or sawdust. Spilled material will dry up and form a film.
	Dispose of spilled material.
	Obey to local disposal regulations to dispose of spilled material.
7. Handling an	d storage
Handling	: Wear protective gloves/ eye protection/ face protection.
	Keep container tightly closed.
Storage	: Keep away from direct rays and should be preserved temperature at 5-40 ${}^\circ\!\mathrm{C}$
	Protect from sunlight. Store in a well-ventilated place.
	The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene.
	Incompatible substances ; Oxidizing agent, Strong base, Reducing agent, Metal.
8. Exposure co	ntrols / Personal protection
Control concentration	: Not established
Technical measures	: Use the product in a properly ventilated atmosphere.
Protection of hands	: Use chemical resist gloves to prevent skin contact.

Eye protection : Wear chemical goggles if eye contact is likely.

Breathing equipment : Wear respiratory protection.

9. Physical and chemical properties

Appearance	: Liquid
Color	: Transparent pale yellow
Odour	: Faint odor
Boiling point	: No data available.
Freezing point	: No data available.
Flash point	: No data available.
Danger of explosion	: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits	: No data available.
Vapor pressure	: No data available.
Vapor Density	: No data available.
Evaporation Rate	: No data available.
pH-value	: $3.2 \pm 0.5 (25^{\circ}C)$
Density	: 1.062±0.5 (25°C)
Solubility	: Solubility in water.
10. Stability an	nd reactivity
10. Stability an	u reactivity
Stability	: The product is stable at normal storage, handling and use temperatures.
V	*
Stability	: The product is stable at normal storage, handling and use temperatures.
Stability Conditions to avoid Materials to avoid	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.
Stability Conditions to avoid Materials to avoid	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl, .
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl, .
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl, . al information
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl, . al information Acute toxicity (Oral) Not classified
Stability Conditions to avoid Materials to avoid Hazardous decompo <u>11. Toxicologic</u> Product LD50, LC5(The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl, . al information Acute toxicity (Oral) Not classified Acute toxicity (Dermal) Not classified
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic Product LD50, LC50 Skin corrosion / irrit	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl,. al information Acute toxicity (Oral) Not classified Acute toxicity (Dermal) Not classified Determined by material's classification.
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic Product LD50, LC50 Skin corrosion / irrit	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl,. al information Acute toxicity (Oral) Not classified Acute toxicity (Dermal) Not classified Determined by material's classification. tation : No data applicable. / Eye irritation : No data applicable.
Stability Conditions to avoid Materials to avoid Hazardous decompo 11. Toxicologic Product LD50, LC50 Skin corrosion / irrit Serious eye damage	 The product is stable at normal storage, handling and use temperatures. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Oxidizing agent, Strong base, Reducing agent, Metal. sition : Incomplete combustion and thermolysis produce more or less toxic gases such as NH3,COx,SOx,NOx,HCl,. al information Acute toxicity (Oral) Not classified Acute toxicity (Dermal) Not classified Determined by material's classification. tation : No data applicable. / Eye irritation : No data applicable.

13. Disposal considerations

Incineration should be effected. As for general washing water, should be treated process of condensation and precipitation of activated sludge method before waste.

14. Transport information

IATA Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods.

Not dangerous cargo. Avoid temperature below 0 °C. Keep separated from foodstuffs.

Use proper unbreakable vessel.

Pay attention for loading without overturn nor falling not to damage cargoes.

15. Regulatory information

Not especially regulated by law regarding this products itself.

However performance of using the products should be based on the regulation in accordance with the by-law of disposal industrial waste and the water pollution prevention act.

16. Other information

References

- A Handbook on LABEL and MSDS for GHS (The Chemical Daily Co., Ltd. 2007)
- · A Handbook to understand REACH (Chemical Evaluation and Reseatch Institute, 2007, Printed in Japan)
- · Documentation of the TLVs and BEIs (Japan Association for Working Environment Measurement, 2006. Japanese translation)
- The classification in Annex I of Directive 67/548/EEC. A Japanese version was published by JETOC in 2004 (EU: List of Dangerous Substances (7th. Edition).
- · Recommendation of Occupational Exposure Limits(2006-2007). The Japan Society for Occupational Health.
- · A Handbook on International Chemical Safety Cards (ICSC) Japanese version, 4th Edition. (The Chemical Daily Co., Ltd.)

The Safety Data Sheet (SDS) is designed to provide forwarding and handling agents with reference information on the safe handling of dangerous and hazardous chemical materials.

In making use of this safety date sheet, forwarding and handling agents are requested to understand on their own responsibility the necessity of taking appropriate measures compatible with the individual forwarding and handling operations.

This safety data sheet should not therefore be regarded as a guarantee of safety.